

SUPPLEMENT TO

The Gazette



of India

No. 21]

NEW DELHI, SATURDAY, AUGUST 19, 1950

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 22nd July, 1950

CHOLERA			SMALLPOX			PLAGUE			CHOLERA		
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
STATES PART (A) & PART (C)						Bihar—contd.					
Ajmer (Urban)						Hazaribagh . . .					
Total	54	34	7	1
(Estd. mid-year pop. 340 thousands)						23	11	12	1
Total for w/e 15-7-50	1	1	102	52	20	4
Total for w/e 8-7-50	29	14
7-yearly mean for the week.	1	1	13	9	2	2
Assam						Total . . .					
Ochhar . . .	3	1	936	409	153	31
Khasi and Jaintia Hills	3	(Estd. mid-year pop. 37,690 thousands)			
Naga Hills	Total for w/e 15-7-50	649	285	318
Goalpara . . .	10	6	...	1	Total for w/e 8-7-50	451	168	204
Kamrup . . .	11	6	7-yearly mean for the week . . .	1,236	581	105
Darrang	Bombay			
Newgong	Bombay . . .	66	7	4
Sibsagar	Ahmedabad
Lakhimpur	Kaira
Sadiya & Frontier tracts	Broach
Garo Hills	1	Panch Mahals
TOTAL . . .	24	14	3	1	Surat . . .	1	1	5
(Estd. mid-year pop. 7,611 thousands.)								Thana . . .	39	13	...
Total for w/e 15-7-50	24	19	1	Bombay Suburbans
Total for w/e 8-7-50	28	16	Ahmednagar	15
7-yearly mean for the week . . .	22	13	21	6	East Khandesh	14
Bhopal						West Khandesh . . .					
TOTAL	Amreli
(Estd. mid-year pop. 831 thousands)								Nasik	4	...
Total for w/e 15-7-50	17	5	Poona	5	2
Total for w/e 8-7-50	6	4	8	2	Satara North	10	1
7-yearly mean for the week . . .	7	3	Satara South . . .	1	1	1
Bihar						Sholapur . . .					
Patna . . .	232	95	9	Sabarkanta	2	2
Gaya	Belgaum
Shahabad . . .	29	12	44	13	Bijapur
Saran . . .	127	32	16	3	Dharwar . . .	1	1	12
Champaran . . .	23	13	7	1	Kanara . . .	52	25	18
Muzaffarpur . . .	7	7	Ratnagiri	6
Darbhangha . . .	31	15	4	Kolaba	1
Monghyr . . .	12	7	3	1	Kolhapur
Bhagalpur . . .	58	26	26	3	Baroda
Saharsa . . .	25	11	12	2	Navsari
Purnea . . .	2	1	Danga
Santal Parganas . . .	169	70	Malwan
						Mehsana . . .					
						TOTAL 185					
						(Estd. mid-year pop. 26,071 thousands)					
						Total for w/e 15-7-50 . . .					
						Total for w/e 8-7-50 . . .					
						7-yearly mean for the week . . .					
						426					

Explanation of symbols used {—O=Cases ; D=Deaths,

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 22nd July, 1950—contd.

CHOLERA			SMALLPOX		PLAGUE		CHOLERA			SMALLPOX		PLAGUE	
C.	D.		C.	D.	C.	D.	C.	D.		C.	D.	C.	D.
Goorg							Madras						
TOTAL	1	Vizakhapatnam	10	2
(Estd. mid-year pop. 178 thousands)							Chicacole	22	2
Total for w/e 15-7-50	East Godavari	1	...	14	4
Total for w/e 8-7-50	West Godavari	22	1
7-yearly mean for the week.	1	Krishna	21	9	50	9
Delhi							Guntur	28	18	89	12
Delhi City	1	Nellore	16	10	16	3
New Delhi	Ouddappah	217	84	13	1
Delhi Notified Area	Kurnool	21	9	14	3
New Delhi Cantt.	Bellary	80	36	1
West Delhi N.A.C.	Anantapur	103	57	14	4
Rural Circles	Madras	71	12
TOTAL	1	Chingleput	23	4
(Estd. mid-year pop. 1,274 thousands)							Chittoor	55	18
Total for w/e 15-7-50	11	4	North Arcot	45	9
Total for w/e 8-7-50	44	5	1	Salem	4	1	33	5
7-yearly mean for the week.	3	1	5	2	Coimbatore	21	7	6	2
Himaohal Pradesh							South Arcot	166	81	26	10
Mahasu	1	Tanjore	15
Mandi	14	8	Thiruchirapalli	13	9
Sirmur	Mathurai	5	3	52	18
Chamba	10	1	Ramnad	19	8	41	5
TOTAL	14	8	11	1	Tirunelveli	46	9
(1941 Census pop. 935 thousands)							Nilgiris
Total for w/e 15-7-50	Malabar	16	6
Total for w/e 8-7-50	1	...	South Kanara	11	2
7-yearly mean for the week.	TOTAL	702	323	718	150
Madhya Pradesh							(Estd. mid-year pop. 52,929 thousands)						
Nagpur	1	...	2	1	Total for w/e 15-7-50	781	351	779	173	1	...
Wardha	44	17	Total for w/e 8-7-50	581	255	777	134	2	...
Chanda	3	1	7-yearly mean for the week	613	298	394	84	24	11
Ohhindwara	71	16	14	7	Manipur						
Betul	TOTAL	46	11
Bhandara	7	Total for we 15-7-50	79	42
Jabalpur	3	...	15	2	Total for we 8-7-50	55	34
Sagar	Orissa						
Mandla	18	11	Outtack	2	3	14
Hoshangabad	2	2	Balasore	5
Nimar	5	5	Puri	7	3	15	5
Balaghat	43	12	Sambalpur	28	5
Raipur	3	Khondmala	22	5
Bilaspur	7	6	24	5	Ganjam Plains	76	15
Drug	18	9	5	1	Ganjam Agency
Bestar	Koraput	4
Surguja	Keonjhar	8	1
Raigarh	Dhenkanal	73	13
Amravati	35	14	8	2	Bolangir-Patna	12	1
Yectmal	1	1	1	Sundergarh	9	1
Akola	Kalanhandi	56	14
Buldana	13	Angul
TOTAL	170	70	159	35	14	7	Mayurbhanj	21	9
(Estd. mid-year pop. 17,666 thousands)							TOTAL	9	6	343	69
Total for w/e 15-7-50	113	58	124	17	(Estd. mid-year pop. 7,697 thousands)						
Total for w/e 8-7-50	163	63	66	24	Total for w/e 15-7-50	17	12	268	65
7-yearly mean for the week	215	112	114	17	Total for w/e 8-7-50	74	34	348	81
							7-yearly mean for the week	247	135	111	21

Explanation of the symbols used:—C=Cases; D=Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 22nd July, 1950—concl'd.

CHOLERA								SMALLPOX								PLAGUE							
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.					
Jammu and Kashmir																							
Return not received.																							
Madhya Bharat																							
Dewas	1	2	Bikaner	39	12						
Indore	1	Former Matsya	*	30						
Ujjain	.	.	71	19	Former Rajasthan						
TOTAL								Jaipur	2							
TOTAL								Jodhpur	1							
Saurashtra																							
TOTAL								Madhya Saurashtra	2							
TOTAL								Halar	.	.	3	1							
Travancore-Cochin																							
TOTAL								TOTAL															
TOTAL								1	2								
Vindhya Pradesh																							
Bangalore	.	.	3	4	5	1	Sahdol	168	18						
Chitaldrug	.	.	7	2	TOTAL														
Hassan	.	.	1	..	2	..	2	168	18							
Chickmagalur	11	1	Grand total for States														
Kolar	.	.	1	1	Part (B)	.	294	117	312	92	27	9							
Mandya	.	.	2	1	Grand total for States														
Mysore	.	.	36	18	8	3	11	5	Parts (A), (B) & (C)	3,071	1,378	2,109	547	42	16	..							
Shimoga	4	4	TYPHUS														
Tumkur	.	.	11	5	No report of any case of typhus was received during the week.														
TOTAL								ARREAR INFORMATION															
TOTAL								Saurashtra															
TOTAL								(w/e 8.7.50)															
TOTAL								Halar	.	.	4	4						
TOTAL								TOTAL															
TOTAL								4	4							
TOTAL								(w/e 15.7.50)															
TOTAL								Halar	.	.	18	11						
TOTAL								TOTAL															
TOTAL								18	11							

*Not available.
Explanation of the symbols used:—C =Cases ; D=Deaths.

NEW DELHI 3 (INDIA) ;
The 14th August 1950

S. P. JAIN,
for Registrar General, India.

NATIONAL
SAVINGS
CERTIFICATES

Are now available in three different series, maturing after 5, 7 and 12 years. The certificates yield 3%, 3½% and 4-1/6% simple interest respectively, at maturity. The 12 years certificates increase your money by 50% but if necessary can be encashed after 18 months (Rs. 5/- certificates after 12 months). The 5 and 7 years certificates can be encashed at any time.

National Savings Certificates are obtainable in denominations of 5, 10, 50, 100, 500, 1,000 and you can invest upto Rs. 25,000 in them (inclusive of any Post Office cash certificates held).

Full particulars obtainable from all post offices, District Organisers of the National Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers or the National Savings Commissioner, Simla.

TODAY'S SAFEST AND MOST PROFITABLE INVESTMENT

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 22nd July, 1950.

Deaths from :—															
Town	Mid.-1950 Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.		
STATES (Parts A and O)															
Ajmer															
Ajmer	173	125	37.6	2	3	8	1	20	6.0	...		
Beawar	45	27	31.2	6	2	6	...	17	19.6	...		
TOTAL	218	152	36.3	8	5	14	1	37	8.8	...		
Assam															
Return not received.															
Bhopal															
Return not received.															
Bihar															
Return not received.															
Bombay															
Ahmedabad	854	567	34.5	123	5	23	3	236	14.3	83		
Ahmednagar	66	50	39.3	1	3	3	...	21	16.5	4		
Amalner	45	19	21.9	6	...	3	...	10	9.2	2		
Bandra	100	58	30.1	2	2	6	...	35	18.2	15		
Baroda City	188	111	30.7	32	1	7	4	64	17.7	13		
Barvi	42	22	27.2	2	2	3	...	18	22.2	4		
Belgaum	77	45	30.3	3	2	...	2	25	16.8	5		
Bhusawal	44	74	87.4	1	5	5.9	...		
Bijapur	58	31	37.7	1	2	3	1	16	14.3	2		
Bombay	1,796	1,060	30.7	3	2	...	10	38	152	4	647	18.7	189		
Broach	76	40	27.3	4	...	3	...	13	8.8	1		
Cambay	38	15	20.5	5	2	11	15.0	...		
Dharwar	55	18	16.9	1	...	2	...	13	12.2	2		
Dhulia	66	35	27.5	1	4	1	2	2	13	10.2	1		
Gadag-Betgeri	66	27	21.2	8	10	1	1	1	35	27.5	6		
Godhra	48	22	23.8	3	3	3.2	2		
Hubli	107	51	24.7	12	8	4	5	...	49	23.8	2		
Jalgaon	62	30	25.1	3	1	11	9.2	2		
Kalyan	36	23	33.2	1	1	2	...	6	8.6	...		
Kolhapur	115	83	37.5	5	1	1	...	30	13.5	2		
Kurla	47	27	29.8	2	1	1	...	9	9.9	3		
Malegaon	41	53	67.2	8	2	15	19.0	6		
Miraj	38	10	13.6	1	1	6	...	10	13.6	...		
Nadiad	58	57	51.1	12	...	2	2	22	19.7	9		
Nasik	59	58	51.1	4	3	1	1	32	28.1	4		
Navsari	46	32	36.1	6	1	12	13.5	2		
Pandharpur	37	42	59.0	9	7	5	...	36	50.5	13		
Parle Andher	58	35	31.3	1	2	1	3	...	15	12.4	4		
Patan	43	40	48.3	9	2	1	...	13	15.7	1		
Poona	313	219	36.3	1	1	...	3	3	34	1	121	20.1	49		
Sangli	39	36	48.0	2	6	3	...	19	25.3	4		
Satara	40	27	35.1	2	...	2	...	16	20.8	3		
Sholapur	267	208	40.5	15	10	31	...	93	18.1	31		
Surat	239	144	31.3	19	3	27	2	96	20.8	32		
TOTAL	5,264	3,369	33.3	26	3	...	318	106	332	24	1,770	17.5	496		
Delhi Province															
Delhi City	685	504	38.3	67	8	21	...	135	10.2	35		
New Delhi	121	176	75.6	7	...	45	19.3	11		
TOTAL	806	680	43.9	67	8	28	...	180	11.6	46		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.—Birth; B. R.—Birth rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory diseases; M.D.—Maternal Deaths D.R.—Death rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 22nd July, 1950—*contd.*

Town	Mid-1950 Popn-Est. (000)	B.	B.R.*	Deaths from —								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Madhya Pradesh				Return not received.										
Madras														
Adoni	35	34	50.5	2	9	...	18	26.7	3	
Ambur	39	39	52.0	2	1	4	...	9	12.0	1	
Anakapalle	35	20	29.7	4	2	1	16	23.7	5	
Aruppukotai	36	26	37.6	...	2	...	2	2	21	30.3	4	
Bellary †	35	20	29.7	5	2	3	...	16	23.7	2	
Cannanore.	35	20	29.7	5	2	3	...	16	23.7	2	
Chirala†	33	26	41.0	...	9	...	2	...	5	...	27	42.5	2	
Chittoor	33	26	41.0	...	9	...	2	...	5	...	27	42.5	2	
Coimbatore†	33	26	41.0	...	9	...	2	...	5	...	27	42.5	2	
Cuddalore	62	68	52.8	2	5	4	1	26	21.8	8	
Cuddappah	34	27	41.3	7	3	...	1	1	22	33.7	2	
Dindigul	68	49	37.5	2	2	5	...	29	22.2	6	
Eluru	72	34	24.6	...	1	...	6	1	2	3	32	23.1	2	
Erode	45	36	41.6	1	5	...	14	16.2	7	
Guddiyattam	40	36	46.8	1	3	3	...	14	18.2	5	
Gunur †	84	26	16.1	..	1	..	3	1	3	..	32	17.8	9	
Kakinada	83	70	37.6	8	11	...	40	25.1	6	
Kancheepuram	83	70	37.6	8	11	...	40	25.1	6	
Karalkudi	36	21	30.3	1	1	3	..	13	18.8	..	
Karur	35	37	55.0	9	13.4	3	
Kozhikode†	35	37	55.0	9	13.4	3	
Kumbakonam	71	46	33.7	2	1	..	19	13.9	2	
Kurnool	55	46	43.5	1	2	4	..	15	14.2	5	
Madras	1,013	956	49.0	..	12	..	40	119	194	1	745	38.2	196	
Mangalore	94	117	64.7	5	3	15	..	52	28.8	10	
Masulipatnam	61	20	17.0	1	..	2	..	12	10.2	1	
Mathurai	292	214	38.1	1	17	..	17	9	64	2	208	37.0	42	
Mayuram	33	22	12.6	2	...	3	..	17	9.8	3	
Melapalayam†	33	22	12.6	2	...	3	..	17	9.8	3	
Nagapatinam	57	49	44.7	3	2	1	..	22	20.1	4	
Nellore	66	13	10.2	2	7	20	15.8	3	
Ooty	35	32	47.5	4	..	17	25.3	3	
Palam Cottah	34	21	32.1	3	..	13	19.9	5	
Palghat	61	38	32.4	4	3	7	..	41	34.9	13	
Proddatur	33	19	29.9	..	1	..	1	12	18.9	4	
Pudukottai	39	11	14.7	1	1	22	29.3	4	
Rajahmundry	85	49	30.0	2	2	2	...	29	17.7	5	
Rajapalayam	53	31	30.4	2	6	1	15	14.7	2	
Salem	155	144	48.3	...	1	...	2	4	14	1	49	16.4	9	
Srivilliputtur	37	30	42.2	3	2	3	...	20	28.1	2	
Tanjore	70	75	55.7	1	3	2	...	28	20.8	5	
Tellicherry	42	39	48.3	4	1	4	...	20	24.8	3	
Tenali	46	35	39.6	2	3	...	14	15.8	4	
Tiruchirappalli	135	115	34.2	..	8	..	1	8	11	1	64	19.0	8	
Tirunelveli	64	57	46.3	..	5	3	6	..	36	29.3	12	
Tiruppur	47	40	44.3	2	..	8	8.9	4	
Tiruvannamalai	39	23	30.7	2	1	4	...	12	16.0	2	
Tuticorin	90	66	38.1	2	9	1	29	16.8	5	
Vaniyambadi	39	26	34.7	..	2	3	...	17	22.7	5	
Vellore	85	90	55.1	9	7	...	42	25.7	16	
Vijayavada	110	53	25.1	4	...	2	..	21	9.9	8	
Virudunagar	36	43	62.1	2	1	7	10.1	..	
Vizagapatnam	82	51	32.3	3	4	10	..	28	17.8	4	
Vizianagram	58	40	35.9	1	11	3	..	42	37.8	21	
TOTAL	4,029	3,175	41.0	10	62	—	134	230	448	12	2034	26.3	475	
Orissa														
Berhampur	49	53	56.4	..	1	..	3	4	2	1	26	27.7	7	
Cuttack	83	64	40.2	..	3	..	5	4	...	1	38	23.9	8	
Puri	44	15	17.8	..	3	..	14	2	2	2	42	49.8	..	
TOTAL	176	132	39.0	..	7	..	22	10	4	4	106	31.3	15	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.
† Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Birth rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal deaths; D.R.=Death rate, I.D.=Infantile deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 22nd July, 1950—*contd.*

Deaths from:—

Town	Mid-1950 Popn-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Punjab (I)													
Ambala	52	44	44.1	1	1	3	...	7	7.0	3
Amritsar	508	126	12.0	22	9	30	3	118	12.1	26
Batala†													
Bhiwani	51	47	48.1	...	1	...	4	1	3	...	11	11.2	3
Fazilka	37	19	26.8	1	3	4.2	1
Ferozepore	48	40	43.4	3	3	...	14	15.2	9
Hissar	32	15	24.4	...	1	...	7	8	13.0	1
Hoshiarpur	43	26	31.6	3	6	7.3	3
Jullundur	145	102	36.7	16	...	5	...	29	10.4	7
Karnal	48	33	35.8	6	1	1	...	12	13.0	4
Ludhiana†													
Moga	37	22	31.0	4	4	5.6	2
Panipat	42	19	23.6	11	...	1	...	14	17.4	4
Rewari	35	17	25.3	4	1	9	13.4	2
Rohtak	60	52	45.2	2	5	12	10.4	2
TOTAL	1,138	562	25.7	2	2	...	84	16	46	3	247	11.3	67
Uttar Pradesh													
Agra	355	470	69.0	5	13	69	...	156	22.9	39
Allahabad	325	145	23.3	...	1	...	1	4	31	1	70	11.2	17
Amroha	66	41	32.3	4	3	5	...	27	21.3	8
Babraich	46	27	30.5	4	1	4	...	14	15.8	4
Balrampur	51	14	14.4	...	1	...	14	1	1	1	26	26.7	11
Banaras	308	162	27.4	58	17	12	...	174	29.5	43
Bareilly	235	43	9.5	1	7	...	2	1	13	2.9	3
Budaun	58	41	36.7	15	2	3	...	30	26.9	10
Dehra Dun	104	63	31.7	10	2	4	...	19	9.6	2
Etawah	58	52	46.1	11	1	3	1	29	25.7	12
Faizabad-Ajodhya	58	40	35.7	...	1	...	4	...	2	...	12	10.7	3
Farrukhabad-Fatehgarh	64	63	51.1	10	...	13	...	32	25.9	5
Ferozabad	55	26	24.5	8	11	10.4	3
Ghazipur	35	13	19.4	6	2	11	16.4	4
Gorakhpur	121	50	19.9	1	13	8	9	3	50	19.9	9
Hapur	47	28	31.2	4	4	2	...	16	17.8	6
Hardwar Union	71	33	24.2	14	4	3	...	30	22.0	18
Hathras	57	61	56.3	1	4	10	5	...	24	22.1	9
Jaunpur	52	25	25.0	5	...	2	1	12	12.0	1
Jhansi	90	121	69.8	1	29	2	3	...	49	28.3	16
Kanpur	702	303	22.5	...	1	...	79	23	25	4	236	17.5	75
Khurja	41	27	34.0	2	...	2	...	9	11.3	3
Koil-Aligarh	143	34	12.4	11	2	2	...	31	11.3	6
Lucknow	487	282	30.2	51	14	41	1	182	19.5	52
Mathura	101	92	47.7	16	5	4	...	39	20.2	11
Meerut	160	106	34.5	6	4	9	1	29	9.4	7
Mirzapur-Vindhyachal	81	35	22.6	13	1	1	...	25	16.2	3
Moradabad	186	110	30.9	2	5	12	...	48	13.5	9
Muzaffarnagar	65	31	24.7	8	8	6.4	2
Pilibhit	53	24	22.6	1	2	6	5.9	2
Rampur	103	9	4.5	3	1	6	3.0	...
Saharanpur	168	122	37.8	42	60	18.6	15
Sambhal	63	55	45.2	...	1	...	15	...	4	...	27	22.2	5
Shahjahanpur	132	61	24.0	22	1	2	...	34	13.4	14
Sitapur	37	32	44.8	...	1	...	7	1	11	15.4	4
TOTAL	4,780	2,841	31.0	4	13	...	499	133	273	14	1,556	16.9	436

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 22nd July, 1950—*contd.*

Town	Mid-1950 Popn-Est. (000)	Deaths from :—										Total	D. R.*	I. D.	
		B.	B. R.*	C.	S.	P.	F.	D. D.	R. D.	M. D.					
West Bengal															
Asansol†															
Bally	69	18	13.6	4	4	3.1	...		
Bankura	61	3	2.6	1	2	3	8	6.9	...		
Baranagar	71	37	27.3	...	3	...	5	8	5	...	34	25.1	10		
Berhampur	55	21	20.0	2	2	...	12	3	2	2	27	25.7	2		
Bhatpara	147	18	6.4	3	14	...	24	...	4	...	83	29.4	18		
Budge-Budge	40	7	9.1	1	...	2	...	5	6.5	†		
Burdwan	85	7	4.3	2	1	1	...	1	7	4.3	...		
Calcutta	2,991	941	16.4	73	42	...	107	203	200	4	1,037	18.1	†		
Champdani	38	7	9.6	1	...	3	...	5	6.9	...		
Garden-Roach	113	6	2.8	6	2	3	...	16	7.4	3		
Hooghly-Chinsura	64	43	34.8	...	2	...	2	4	10	8.1	4		
Howrah	523	75	7.5	10	10	...	11	35	51	1	185	7.4	44		
Kamarhati †															
Krishnagar	39	2	2.7	...	1	2	2.7	...		
Midnapur	54	14	13.6	...	1	...	1	5	4.9	...		
Nabadwip	42	16	20.1	4	3	...	12	5	2	...	31	38.9	...		
Naihati	53	3	3.0	3	2	...	1	...	10	9.9	4		
Serampur	71	22	16.3	4	7	11	5	...	42	31.0	6		
South Suburban	86	6	3.6	1	6	1	3	...	15	9.1	...		
Titagarh	65	32	25.8	12	1	13	10.6	...		
Tollygunj	90	5	2.9	5	5	2.9	...		
TOTAL	4,757	1,283	14.0	112	79	...	211	277	281	8	1,544	16.9	91		

(STATES—PART B)

Jammu and Kashmir

Return not received.

Madhya Bharat

Greater Gwalior	234	42	9.3	9	2	...	1	16	3.6	...	
Indore City	273	144	27.5	30	3	6	...	85	16.2	23	
Ratlam	52	39	39.0	7	1	3	1	17	17.0	2	
Ujjain City	106	38	18.5	16	5	3	6	1	64	31.5	17	
TOTAL	665	263	20.6	16	51	9	15	3	182	14.2	42	

Mysore State

Bangalore City	500	529	54.0	1	2	...	13	57	61	...	303	31.4	...	
Kolar Gold Fields	179	80	40.5	1	9	6	...	30	15.2	...	
Mysore City	191	86	23.4	10	11	70	19.0	...	
TOTAL	870	695	41.5	1	2	...	24	77	67	...	403	24.1	...	

PEPSU

Malerkotla	36	17	29.6	3	3	4.3	..	
Patiala	84	58	35.9	18	...	4	1	32	19.8	..	
TOTAL	120	75	32.5	21	...	4	1	35	15.2	..	

Rajasthan

Alwar	60	40	34.7	2	1	3	...	11	5.5	...	
Bikaner	166	74	22.9	5	4	3	...	15	4.7	1	
Jaipur	201	89	23.0	22	3	4	1	73	13.5	27	
Jodhpur	157	68	22.5	7	1	3	...	30	6.7	...	
Udaipur	72	2	1.4	3	6	4.3	...	
TOTAL	656	273	21.6	39	9	13	1	135	10.7	28	

Saurashtra

Return not received.

Travancore-Cochin

Alleppey	68	31	23.7	4	7	5.4	2	
Ernakulam	56	80	74.3	1	3	1	...	14	13.0	1	
Kottayam	41	43	54.5	6	3	...	1	19	24.1	1	
Mattancheri	66	39	30.7	2	...	1	...	14	11.0	2	
Nagercoil	60	34	29.5	2	...	2	1	15	13.0	2	
Quilon	64	4	3.3	1	...	11	8.9	...	
Trichur	69	41	30.9	2	4	3	1	19	14.3	2	
Trivandrum	159	39	12.8	14	19	13	...	77	25.2	11	
TOTAL	583	311	27.7	31	29	21	3	176	15.7	21	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.=Births ; B. R.=Birth rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D. D.=Dysentery and Diarrhoea ; R. D.=Respiratory Diseases ; M. D.=Maternal Deaths ; D. R.=Death Rate ; I. D.=Infantile Death (included in total deaths)

REMARKS

The figures of births and deaths shown in this statement for the week ending the 22nd July, 1950 relate to 179 towns with an estimated population of 24,062 thousands. The total number of towns is 233 and their population is 28,421 thousands. Thus 77% of the total number of towns representing 85% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 13,811 and 8,405 representing birth and death rates of 29·8 and 18·2 per thousand of population respectively.

(A) *States (Parts A and C).*—The data here relate to 157 towns with an estimated population of 21,168 thousands. Information about Assam, Bihar and Madhya Pradesh could not be included. The total number of towns is 201 and their population is 24,668 thousands. Thus 78% of the total number of towns representing 86% of the total population is covered. The numbers of births and deaths

recorded in these towns were 12,194 and 7,474 representing birth and death rates of 30·0 and 18·4 per thousand of population respectively. The table at the end gives the position by states.

Pandharpur in Bombay was the only town which recorded a high death rate of 50·5 per thousand of population. This high rate was not due to any one of specified causes.

(B) *States (Part B).*—The data here relate to 22 towns with an estimated population of 2,894 thousands. The total number of towns is 32 and their population is 3,753 thousands. Thus 69% of the total number of towns representing 77% of the total population is covered. The numbers of births and deaths recorded in these towns were 1,617 and 931 representing birth and death rates of 29·1 and 16·1 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population

States	Current w/e 22-7-50		Corresponding w/e last year		Corresponding mean during the previous 5 years period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer	36·3	8·8	33·8	11·2	36·8	17·7
Bombay	33·3	17·5	35·0	21·6	30·3	22·7
Delhi	43·9	11·6	33·7	10·5	42·4	16·2
Madras	41·0	26·3	44·2	27·8	44·4	24·5
Orissa	39·0	31·3	43·3	29·3	39·5	26·3
Punjab (I)	25·7	11·3	22·9	8·9	30·6	13·3
Uttar Pradesh	31·0	16·0	32·4	19·4	36·0	23·0
West Bengal	14·0	16·9	12·1	11·5	11·1	14·9
India (onl States Parts A and C).	30·0	18·4	29·0	18·0	30·4	18·8

NEW DELHI, 3 (INDIA);
The 14th August, 1950.

S. P. JAIN,
for Registrar General, India.

